Revision: 28.07.2014



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.08.2014

Version number 1

1. Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: BAYCOTECH-122 (B-Comp.)
- · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Sealing
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

AB-SCHOMBURG YAPI KİMYASALLARI A.Ş. 19 Mayis Mah.Turapoğlu Sok. Hamdiye Yazgan Iş Merkezi 4/8 34736 – Kozyatağı / Istanbul - TURKEY

Tel: +90 216 302 71 31 Fax: +90 216 302 70 01

e-mail: info@ab-schomburg.com.tr web: www.ab-schomburg.com.tr

2. Hazards identification

- · Classification of the substance or mixture
- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xn; Harmful

R20-40-48/20: Harmful by inhalation. Limited evidence of a carcinogenic effect. Harmful: danger of serious damage to health by prolonged exposure through inhalation.



Xn; Sensitising

R42/43: May cause sensitisation by inhalation and skin contact.



Xi; Irritant

R36/37/38: Irritating to eyes, respiratory system and skin.

Information concerning particular hazards for human and environment:

The product may not leak out in sewerage system, stretch of water or soil.

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

- · Label elements
- · Labelling according to EU guidelines:

The product has been classified and labelled in accordance with EC Directives / Ordinance on Hazardous Materials (GefStoffV)

- Code letter and hazard designation of product:
 Xn Harmful
- Hazard-determining components of labelling: methylenediphenyl diisocyanate

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Revision: 28.07.2014 Printing date 11.08.2014 Version number 1

Trade name: BAYCOTECH-122 (B-Comp.)

(Contd. of page 1)

· Risk phrases:

Harmful by inhalation.

36/37/38 Irritating to eyes, respiratory system and skin.

Limited evidence of a carcinogenic effect.

42/43 May cause sensitisation by inhalation and skin contact.

48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.

· Safety phrases:

- Keep out of the reach of children.
- Do not breathe vapour/spray.

36/37 Wear suitable protective clothing and gloves.

- In case of insufficient ventilation, wear suitable respiratory equipment.
- In case of accident or if you feel unwell, seek medical advice immediately (show the label 45 where possible).

· Special labelling of certain preparations:

Contains isocyanates. See information supplied by the manufacturer

- Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3. Composition/information on ingredients

- Chemical characterization: Mixtures
- · Description: Mixture, contains Diphenylmethan-Diisocyanat (MDI)
- · <u>Dangerous components:</u>

methylenediphenyl diisocyanate CAS: 26447-40-5

25-50%

EINECS: 247-714-0 X Xn R20-40-48/20; Xn R42/43; Xi R36/37/38

Carc. Cat. 3

& Resp. Sens. 1, H334; (1) Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335

· Additional information For the wording of the listed risk phrases refer to section 16.

4. First aid measures

- Description of first aid measures
- · General information

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Personal protection for the First Aider.

It is possible to choke in case of vomiting in unconsciousness.

Bring unconscious persons into a stable position on side.

Keep the respiratory tract free (remove dentures and vomiting).

Check the pulse. In case of heart failure you have to make a cardiac massage. In case of stoppage of breathing: artificial respiration.

Take up a doctor immediately!

· After inhalation

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness bring patient into stable side position for transport.

· After skin contact

Instantly wash with water and soap and rinse thoroughly.

Change immediately contaminated clothes.

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

After swallowing

Drink copious amounts of water and provide fresh air. Instantly call for doctor.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 11.08.2014 Version number 1 Revision: 28.07.2014

Trade name: BAYCOTECH-122 (B-Comp.)

(Contd. of page 2)

Show the pack or the label to the doctor.

- · Information for doctor
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5. Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet.

- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- · Special hazards arising from the substance or mixture

Formation of poisonous gases during heating or in fires.

- Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.
- · Additional information

Follow the emergency-plan.

Burst- and explosion-danger by increaseing pressure.

In case of fire chill the container with water spray.

6. Accidental release measures

 Personal precautions, protective equipment and emergency procedures Bring persons out of danger.

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow product to reach sewage system or water bodies.
- Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

7. Handling and storage

- Handling
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Keep away from children.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility:

Please follow the rules of the VCI-Storage-Concept for chemicals.

· Further information about storage conditions:

Keep container tightly sealed.

Store in a locked cabinet and out of the reach of children.

· Specific end use(s) No further relevant information available.

according to 1907/2006/EC, Article 31

Printing date 11.08.2014 Version number 1 Revision: 28.07.2014

Trade name: BAYCOTECH-122 (B-Comp.)

(Contd. of page 3)

8. Exposure controls/personal protection

Additional information about design of technical systems:

It must be possible to wash the skin in the working area.

Eye-wash bottle must be available.

- · Control parameters
- · Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the compilation were used as basis.
- Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Do not eat, drink or smoke while working.

Use skin protection cream for preventive skin protection.

Be sure to clean skin thoroughly after work and before breaks.

When the material is hardened on the skin, remove it carfully mechanically.

· Breathing equipment:

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

- · Protection of hands: Hand Protection: Nitril-rubber-latex-gloves.
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: In case of splashing use protecting basket-glasses.
- · Body protection: Contaminated protection clothes must be cleaned carfully before reuse.

9. Physical and chemical properties

- Information on basic physical and chemical properties
- General Information
- · Appearance:

Form: Fluid

Colour: According to product specification

· Smell: Characteristic

· Change in condition

Melting point/Melting range: Not determined Boiling point/Boiling range: > 300 ℃

· Flash point: > 100 ℃

· **Self-inflammability:** Product is not selfigniting.

• Danger of explosion: Product is not explosive.

· Density at 20 ℃ 1.11 g/cm³

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Printing date 11.08.2014 Version number 1 Revision: 28.07.2014

Trade name: BAYCOTECH-122 (B-Comp.)

(Contd. of page 4)

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix

· Other information No further relevant information available.

10. Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

11. Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: No dates existing.
- · Primary irritant effect:
- · on the skin: Irritant for skin and mucous membranes.
- on the eye: Irritant effect.
- · Sensitization:

Sensitization possible by inhalation.

Sensitization possible by skin contact.

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:

Harmful

Irritant

Sensitizing

12. Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

GB

according to 1907/2006/EC, Article 31

Printing date 11.08.2014 Version number 1 Revision: 28.07.2014

Trade name: BAYCOTECH-122 (B-Comp.)

(Contd. of page 5)

13. Disposal considerations

- Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

08 00 00 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS

08 01 00 wastes from MFSU and removal of paint and varnish

08 01 11* waste paint and varnish containing organic solvents or other dangerous substances

- **Uncleaned packagings:**
- · Recommendation: Disposal must be made according to official regulations.

Void
Void
Void
Void
No
Not applicable.

15. Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations
- · Technical instructions (air):
- · Class Share in %
- · I 45.0
- · Water hazard class:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

The classification based on german instructions.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16. Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 28.07.2014 Printing date 11.08.2014 Version number 1

Trade name: BAYCOTECH-122 (B-Comp.)

		(Contd. of page 6)	
· Relevant phrases			
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H319	Causes serious eye irritation.		
H332	Harmful if inhaled.		
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.		
H335	May cause respiratory irritation.		
R20	Harmful by inhalation.		
R36/37/38	Irritating to eyes, respiratory system and skin.		
R40	Limited evidence of a carcinogenic effect.		
R42/43	May cause sensitisation by inhalation and skin contact.		
R48/20	Harmful: danger of serious damage to health by prolonged exposure throu	gh inhalation.	

^{·*} Data compared to the previous version altered.